



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/690,324	10/21/2003	Ji Young Lee	SAM-0442	4534
Steve M. Mills MILLS & ONELLO LLP Suite 605 Eleven Beacon Street Boston, MA 02108				
7590 04/01/2008				
EXAMINER				
MAIS, MARK A				
ART UNIT		PAPER NUMBER		
2619				
MAIL DATE		DELIVERY MODE		
04/01/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/690,324

Applicant(s)

LEE, JI YOUNG

Examiner

MARK A. MAIS

Art Unit

2619

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-72 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-72 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 October 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SF/ICE)
- 4) ☐ Interview Summary (PTO-413)
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: ____
- Paper No(s)/Mail Date 6/7/2004; 6/30/2005; 4/27/2007

DETAILED ACTION

Priority

1. Acknowledgment is made of applicant's claim for foreign priority under 35 U.S.C. 119(a)-(d).

Information Disclosure Statement

2. The information disclosure statements (IDSs) were filed on June 7, 2004; June 30, 2005; and April 27, 2007. The submissions are in compliance with the provisions of 37 C.F.R. 1.97. According, the examiner considered the IDSs.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-4, 8-54, and 58-72 are rejected under 35 U.S.C. 102(e) as being anticipated by Ollivier et al. (USP 6,738,881).

5. With regard to claim 1, Ollivier et al. discloses a system for transferring a signal to a channel [**Abstract; DMA controller**], comprising:

a storage unit [**Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53**] associated with the channel [**Fig. 6, channel i; Fig. 4, channels controllers 410, 411, 412; col. 7, lines 12-13; six channels, col. 5, lines 15-18**] for storing source identification information [**Fig. 6, identification is source descriptor 650, destination descriptor 652, and enable descriptor 654; col. 9, lines 46-53; Table 3, lines 25-33**] of a plurality of sources [**Fig. 4, Resource 0 and 1**];

a plurality of selection circuits [**Fig. 4, schedulers 420, 421; col. 7, lines 19-35**] for receiving input signals from the sources, each of the selection circuits selecting one of the plurality of input signals [**Fig. 4, port multiplexers within schedulers 420, 421 col. 7, lines 19-35; See also col. 5, lines 38-40**]; and

a circuit for checking outputs of the selection circuits and forwarding selected input signals to the channel [**Fig. 4, port controller 460 and memory interface 472; col. 7, lines 50-52**], such that the signal is forwarded to the channel according to the priorities associated with the sources [**each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48**].

Art Unit: 2619

6. With regard to claim 23, Ollivier et al. discloses a system for transferring a signals to channels [Abstract; DMA controller], comprising;

a plurality of storage units [Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53], each storage unit being associated with one of the channels [Fig. 6, channel i; Fig. 4, channels controllers 410, 411, 412; col. 7, lines 12-13; six channels, col. 5, lines 15-18], and each storage unit being adapted to store source identification information for each of the sources that can transfer input signals to the associated channel [Fig. 6, identification is source descriptor 650, destination descriptor 652, and enable descriptor 654; col. 9, lines 46-53; Table 3, lines 25-33];

for each of the plurality of channels, a plurality of selection circuits [Fig. 4, schedulers 420, 421; col. 7, lines 19-35] for receiving input signals from the sources [Fig. 4, Resource 0 and 1], each of the selection circuits selecting one of the plurality of input signals [Fig. 4, port multiplexers within schedulers 420, 421 col. 7, lines 19-35; See also col. 5, lines 38-40]; and

for each of the plurality of channels, a circuit for checking outputs of the selection circuits and forwarding selected input signals to the channel [Fig. 4, port controller 460 and memory interface 472; col. 7, lines 50-52], such that the signals are forwarded to the channels according to the priorities associated with the sources [each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48].

7. With regard to claim 37, Ollivier et al. discloses a direct memory access (DMA) controller for controlling transfer of signals from input sources to output devices, a

Art Unit: 2619

plurality of channels being connected to the output devices, the DMA controller

[Abstract; DMA controller] comprising:

a plurality of storage units **[Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53]**, each storage unit being associated with one of the channels **[Fig. 6, channel i; Fig. 4, channels controllers 410, 411, 412; col. 7, lines 12-13; six channels, col. 5, lines 15-18]**, and each storage unit being adapted to store source identification information for each of the sources **[Fig. 4, Resource 0 and 1]** that can transfer input signals to the associated channel **[Fig. 6, identification is source descriptor 650, destination descriptor 652, and enable descriptor 654; col. 9, lines 46-53; Table 3, lines 25-33]**;

for each of the plurality of channels, a plurality of selection circuits **[Fig. 4, schedulers 420, 421; col. 7, lines 19-35]** for receiving input signals from the sources **[Fig. 4, Resource 0 and 1]**, each of the selection circuits selecting one of the plurality of input **[Fig. 4, port multiplexers within schedulers 420, 421 col. 7, lines 19-35; See also col. 5, lines 38-40]**; and

for each of the plurality of channels, a circuit for checking outputs of the selection circuits and forwarding selected input signals to the channel **[Fig. 4, port controller 460 and memory interface 472; col. 7, lines 50-52]**, such that the signals are forwarded to the channel according to the priorities associated with the sources **[each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48]**.

8. With regard to claim 51, Ollivier et al. discloses a method for transferring a signal to a channel **[Abstract; DMA controller]**, comprising:

storing [Fig. 6, each channel *i* has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53] source identification information [Fig. 6, identification is source descriptor 650, destination descriptor 652, and enable descriptor 654; col. 9, lines 46-53; Table 3, lines 25-33] for a plurality of sources [Fig. 4, Resource 0 and 1] in a storage unit associated with the channel [Fig. 6, each channel *i* has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53];

providing a plurality of selection circuits [Fig. 4, schedulers 420, 421; col. 7, lines 19-35] for receiving input signals from the sources, each of the selection circuits selecting one of the plurality of input signals [Fig. 4, port multiplexers within schedulers 420, 421 col. 7, lines 19-35; *See also* col. 5, lines 38-40];

with a checking circuit, checking outputs of the selection circuits and forwarding a selected input signal to the channel [Fig. 4, port controller 460 and memory interface 472; col. 7, lines 50-52], such that the signal is forwarded to the channel according to the priorities associated with the sources [each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48].

9. With regard to claims 2 and 52, Ollivier et al. discloses that each selection circuit selects the selected input signal according to a state of a respective control input to the selection circuit [low priority channels will remain pending as long as high priority channels need to be triggered, col. 13, lines 2-7].

Art Unit: 2619

10. With regard to claims 3 and 53, Ollivier et al. discloses that the storage unit is a register **[Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53]**.

11. With regard to claims 4 and 54, Ollivier et al. discloses that the storage unit stores the source identification information for the sources in order of priority of the sources for access to the channel **[Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53]**.

12. With regard to claims 8 and 58, Ollivier et al. discloses that the circuit checks the outputs of the selection circuits in a predetermined sequence **[round robin, col. 9, lines 9-10]**.

13. With regard to claims 9 and 59, Ollivier et al. discloses that the circuit sequentially checks the outputs of the selection circuits **[round robin, col. 9, lines 9-10]**.

14. With regard to claims 10 and 60, Ollivier et al. discloses that the sequence is determined by an order in which the source identification information of the sources is stored in the storage unit **[each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48]**.

15. With regard to claims 11 and 61, Ollivier et al. discloses that the circuit checks the outputs of the selection circuits in order of priority of the sources for forwarding input

signals to the channel **[each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48]**.

16. With regard to claims 12 and 62, Ollivier et al. discloses that the system includes a plurality of channels, input signals from the sources being able to be forwarded to the plurality of channels **[Abstract]**.

17. With regard to claims 13 and 63, Ollivier et al. discloses a plurality of storage units associated respectively with the plurality of channels **[Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53; also, each channel control has its own FIFO, col. 5, lines 40-42]**.

18. With regard to claims 14 and 64, Ollivier et al. discloses that each of the storage units stores source identification information for sources that are able to forward input signals onto the channel associated with the storage unit **[Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53]**.

19. With regard to claims 15 and 65, Ollivier et al. discloses that the selection circuits are multiplexers **[Fig. 4, port multiplexers within schedulers 420, 421 col. 7, lines 19-35; See also col. 5, lines 38-40]**.

Art Unit: 2619

20. With regard to claims 16 and 66, Ollivier et al. discloses that the multiplexers are ordered according to the sequence of the source identification information stored in the storage unit **[round robin, col. 9, lines 9-10]**.

21. With regard to claims 17 and 67, Ollivier et al. discloses that the multiplexers are ordered according to priorities of the sources for forwarding input signals to the channel **[each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48]**.

22. With regard to claims 18 and 68, Ollivier et al. discloses that the sources are applied to inputs of the selection circuits according to a predetermined order **[each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48]**.

23. With regard to claims 19 and 69, Ollivier et al. discloses that the predetermined order depends on priority of the sources for access to the channel **[each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48]**.

24. With regard to claims 20 and 70, Ollivier et al. discloses that the source identification information is generated according to the predetermined order such that the selection circuits select the sources based on priority of the sources for access to the channel **[each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48]**.

25. With regard to claims 21 and 71, Ollivier et al. discloses that a channel unit associated with the channel for processing information related to the channel **[Fig. 4,**

channels controllers 410, 411, 412; col. 7, lines 12-13; six channels, col. 5, lines 15-18].

26. With regard to claims 22 and 72, Ollivier et al. discloses that the storage unit is part of the channel unit **[Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53].**

27. With regard to claims 24 and 38, Ollivier et al. discloses that each selection circuit selects the selected input signal according to a state of a respective control input to the selection circuit **[low priority channels will remain pending as long as high priority channels need to be triggered, col. 13, lines 2-7].**

28. With regard to claims 25 and 39, Ollivier et al. discloses that one or more of the sources are allocated to one or more of the channels **[Abstract].**

29. With regard to claims 26 and 40, Ollivier et al. discloses that the allocation of the sources to the channels is controllable by controlling storage of source identification information in the storage units **[Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53].**

30. With regard to claims 27 and 41, Ollivier et al. discloses that the storage units are registers **[Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53].**

31. With regard to claims 28 and 42, Ollivier et al. discloses that each of the storage units stores its source identification information for the sources in order of priority of the sources for access to the associated channel **[Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53]**.

32. With regard to claims 29 and 43, Ollivier et al. discloses that the selection circuits are multiplexers **[Fig. 4, port multiplexers within schedulers 420, 421 col. 7, lines 19-35; See also col. 5, lines 38-40]**.

33. With regard to claims 30 and 44, Ollivier et al. discloses that the multiplexers are ordered according to the sequence of the source identification information stored in the storage unit **[round robin, col. 9, lines 9-10]**.

34. With regard to claims 31 and 45, Ollivier et al. discloses that the multiplexers are ordered according to priorities of the sources for forwarding input signals to the channels **[each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48]**.

35. With regard to claims 32 and 46, Ollivier et al. discloses that the sources are applied to inputs of the selection circuits according to a predetermined order **[round robin, col. 9, lines 9-10]**.

Art Unit: 2619

36. With regard to claims 33 and 47, Ollivier et al. discloses that the predetermined order depends on priority of the sources for access to the channels **[each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48]**.

37. With regard to claims 34 and 48, Ollivier et al. discloses that the source identification information is generated according to the predetermined order such that the selection circuits select the sources based on priority of the sources for access to the channels **[each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48]**.

38. With regard to claims 35 and 49, Ollivier et al. discloses a plurality of channel units associated respectively with the plurality of channels for processing information related to the channels **[Fig. 4, channels controllers 410, 411, 412; col. 7, lines 12-13; six channels, col. 5, lines 15-18]**.

39. With regard to claims 36 and 50, Ollivier et al. discloses that each of the storage units is part of one of the channel units **[Fig. 6, each channel i has source register 650, destination register 652, and enable register 654; col. 9, lines 46-53]**.

Claim Rejections - 35 USC § 103

40. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2619

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

41. Claims 5-7 and 55-57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ollivier et al.

42. With regard to claims 5-7 and 55-57, Ollivier et al. does not specifically disclose that the registers [Fig. 6, **source register 650, destination register 652, and enable register 654**] store the source identifications [**identification is source descriptor 650, destination descriptor 652, and enable descriptor 654**; col. 9, lines 46-53; Table 3, lines 25-33] in a scheme using most significant bits (MSBs) and/or least significant bits (LSBs). However, Applicants have not disclosed that using such a MSB/LSB scheme solves any stated problem or is for any particular purpose other than an optimization of a known method of storing and/or searching for (priority) flags/indicators [**each channel is given a priority, col. 12, lines 55 to col. 13, line 7; col. 6, lines 44-48**]. Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the storing and search scheme Ollivier et al. because such modifications are considered a mere design choice consideration, which fails to patentably distinguish over the prior art of Ollivier et al. In addition, the changing the scheme to use MSB/LSB for storing and searching for (priority) flags/indicators is interpreted as an optimum value for a known process. A discovery of an optimum value for a known process is obvious engineering. See In re Aller, 105 USPQ 233 (CCPA 1955).

Conclusion

43. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

- (a) Kaufman et al. (USP 4,313,160), Distributed input/output controller system.
- (b) Bowes et al. (USP 5,805,927), Direct memory access channel architecture and method for reception of network information.
- (c) Athenes et al. (USP 5,892,760), Device for binary data transfer between a time-division multiplex and a memory.
- (d) Fandrianto et al. (USP 5,982,459), Integrated multimedia communications processor and codec.
- (e) Rowett et al. (USP 5,991,817), Apparatus and method for a network router.
- (f) Lang et al. (USP 6,188,699), Multi-channel encoder/decoder.
- (g) Earnest (USP 6,226,338), Multiple channel data communication buffer with single transmit and receive memories.
- (h) Rowett et al. (USP 6,336,583), Network router integrated onto a silicon chip.

44. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARK A. MAIS whose telephone number is (571)272-3138. The examiner can normally be reached on M-Th 5am-4pm.

Art Unit: 2619

45. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wing F. Chan can be reached on 571-272-7493. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

46. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Wing F Chan/
Supervisory Patent Examiner, Art Unit
2619
3/26/08

February 20, 2008

/Mark A. Mais/

Examiner, Group Art Unit 2619